

User-Centered Development of an Academic Content Website

Nayyar Ahmed Khan^{1*}, Mohammad Ahmad², Asif Khan¹, Mobin Akhtar³ & Ahmed Masih Uddin Siddiqi⁴

¹Department of Computer Science, College of Computing and Information Technology, Shaqra University, Riyadh, Saudi Arabia.

²Department of Computer Science, College of Science and Humanities-Dawadami, Shaqra University, Saudi Arabia.

³Department of Basic Science, Riyadh Elm University, Riyadh, Kingdom of Saudi Arabia.

⁴Department of Computer Engineering and Application, Mangalayatan University, India

Corresponding Author (Nayyar Ahmed Khan) Email: nayyar@su.edu.sa*



DOI: <https://doi.org/10.46759/ijisr.2026.10302>

Copyright © 2026 Nayyar Ahmed Khan et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Article Received: 15 May 2026

Article Accepted: 22 July 2026

Article Published: 03 August 2026

ABSTRACT

This article focus on the user-centered redevelopment of an academic content website designed to help students, instructors, and administrative users find course information quickly and confidently. A mixed-method evaluation compared an earlier version with a standardized, template-based redesign emphasizing clear information architecture, consistent section order, lightweight interactions, accessibility, and mobile responsiveness. Seventy-two participants completed realistic tasks on desktop and mobile devices; metrics included task completion, mean task time, navigation errors, and perceived ease of use, supported by open comments. Results showed substantial gains after redevelopment: completion rose from 76% to 92%, average task time fell from 4.8 to 2.9 minutes, navigation errors dropped by 41%, and positive ease-of-use responses increased from 61% to 88%. Qualitative feedback highlighted improved confidence, faster scanning, and better cross-page consistency. The study concludes that simple language, predictable structure, and iterative feedback can significantly improve usability, maintainability, and trust in content-heavy educational websites across diverse institutional contexts.

Keywords: User; Website; Course; Academic; Education; Higher Education; System; University; Syllabus; CLO; Computer; Digitization; Transformation; System Design; Software Engineering.

1. Introduction

Digital learning content has become a normal part of daily study. Many students, teachers, and support staff now expect to access course plans, learning outcomes, and related material through websites instead of printed files. Even when this content is available online, users often face common problems [1]. They may not know where to click first. Pages may be long and difficult to scan. Search may return to many unrelated results. Some users may access the website from a mobile phone with a weak connection, which makes speed and layout very important. Because of these issues, a website is useful only when it helps people complete tasks quickly and confidently [2].

This article explains the development and evaluation of a website designed to present academic course information in a clear, simple, and accessible way. The core idea was not to create a visually complex portal, but to build a practical system where users can move from question to answer with minimal effort. The website includes structured course pages, category-based navigation, consistent headings, and lightweight interactions. The design process focused on reducing confusion, lowering task time, and improving content understanding [3].

The project started from a common situation: content existed, but access was not smooth. Earlier pages had valuable information, yet users needed too many clicks and too much scrolling to find specific details. In many cases, the same action gave different experiences across pages because structure was not fully standardized. This created cognitive load, especially for first-time visitors [4]. The new design addressed this by creating a consistent information model for all course pages. Each page follows a predictable order, so users can build habits and navigate faster over time.

A second goal was to support different user groups without naming or targeting any single institution. The same website can be useful for current students who need quick answers, instructors who verify alignment between sections, and coordinators who review course-level patterns [5]. To support these different needs, the interface combines quick browsing with deeper detail panels. At the top level, users can scan lists. At the detail level, they can inspect outcomes, mappings, and course specifications in a clean layout.

The third goal was quality and maintainability. Academic content changes over time, and websites must handle updates without breaking structure [6]. For this reason, the project used a repeatable conversion and publishing workflow. This workflow reduces manual formatting effort and keeps page style consistent. Better maintainability also means fewer errors and lower long-term cost [7].

In summary, this article presents a full study of a user-centered academic content website. It covers relevant literature, explains the development and evaluation method, reports measured outcomes, and discusses future direction. The findings show that simple language, clear structure, and reliable interaction design can significantly improve user experience in content-heavy educational websites.

1.1. Study Objectives

The study objectives are listed below:

- 1) To redesign the academic website using consistent information architecture and shared page templates.
- 2) To improve findability of course information through clearer labels and reduced navigation depth.
- 3) To evaluate usability gains using measurable indicators, including completion rate, task time, and navigation errors.
- 4) To examine user perceptions of clarity, confidence, and ease of use across desktop and mobile devices.
- 5) To establish a maintainable workflow for repeated content conversion and publication.
- 6) To generate evidence-based recommendations for future educational website enhancement.

2. Literature Review

Research on educational web systems consistently shows that usability is strongly linked to learning efficiency and user satisfaction. When users must search for policy details, course outcomes, or assessment mappings, they perform better on websites that provide predictable structure and fast visual scanning. A common finding is that users do not read websites line by line. Instead, they scan headings, look for familiar labels, and jump directly to areas that appear relevant [8 - 11]. This behavior suggests that page organization is more important than decorative styling.

Several studies in interface design emphasize the value of information architecture. Information architecture includes menu structure, naming conventions, grouping logic, and page hierarchy. In educational content websites, weak architecture can hide important data in deep layers. Strong architecture, by contrast, keeps content discoverable through short navigation paths. This often means reducing menu complexity, avoiding ambiguous

labels, and using shared templates across similar pages [12-17]. Standardized page templates reduce user uncertainty because each page behaves in a similar way.

Another strong theme in the literature is cognitive load. Cognitive load increases when users must interpret unfamiliar labels, switch between inconsistent layouts, or compare data shown in different formats. In course-oriented websites, load can also increase when long pages mix outcomes, topics, and assessment details without clear section boundaries [18]. Studies suggest that chunking information into smaller sections, using descriptive titles, and placing high-priority details early on the page can reduce this burden.

Accessibility is also central. Inclusive design research demonstrates that websites should serve users with different devices, abilities, and internet quality [19- 22]. Clear contrast, readable text size, keyboard-friendly interaction, and meaningful heading levels are not optional features. They are basic quality requirements. Mobile responsiveness is equally important because many users access educational websites through phones [23-26]. If cards, tables, or menus break on small screens, trust drops quickly and users may leave before finding the needed information.

Performance literature adds another practical insight: speed influences perceived quality. Users may tolerate rich features only if pages remain responsive. Lightweight code, efficient assets, and simple interaction logic can improve load times and reduce abandonment. In content-heavy systems, performance optimization often includes minimizing unnecessary scripts, compressing media, and structuring pages so that essential content appears early.

Recent work also highlights the role of iterative improvement using user feedback. Instead of finalizing design in one cycle, teams gather evidence from task completion, error rates, and qualitative comments [27]. This approach supports small but meaningful refinements, such as renaming menu items, changing button placement, or improving section summaries. Over time, these small changes can create substantial gains in usability [28].

In educational contexts, trust and clarity are closely connected. Users trust a website when it is stable, consistent, and easy to verify. They lose trust when wording is vague or layout changes without reason. Therefore, clear language and structured presentation are essential [29-33]. The literature overall supports a practical conclusion: for academic websites, success depends less on visual complexity and more on discoverability, consistency, accessibility, and continuous user-driven refinement.

3. Research methodology

This study used a mixed-method design to evaluate the website after redevelopment. The process included planning, interface redesign, controlled task testing, and post-use feedback. Quantitative metrics measured speed and accuracy. Qualitative responses explained user perceptions in simple language. The method was selected to balance measurable outcomes with practical user experience insights [34].

The participant pool included 72 users from three groups: students, teaching staff, and administrative support users. Participants were invited to complete realistic tasks, such as finding course outcomes, checking course details, and identifying alignment information on specific pages. Tasks were performed on both desktop and mobile devices to test layout stability and readability.

Data collection included four metric categories: task completion rate, mean task time, navigation errors, and perceived ease of use. Task completion rate measured whether users reached the correct answer. Mean task time captured efficiency [35 – 38]. Navigation errors counted wrong clicks or dead-end paths. Perceived ease of use was captured with a short post-task survey using a five-level agreement scale. In addition, open comments were collected to identify recurring pain points and positive patterns.

The development workflow also included structured content conversion. Source materials were normalized into a consistent format and then published through reusable page templates. This ensured that each course page followed the same logical sequence. Standardization improved both readability and maintenance, and it lowered the risk of inconsistent labels [39].




Figure 1. Iterative website development and evaluation workflow.

Table 1. Participant Profile and Device Usage

Group	Count	Desktop (%)	Mobile (%)
Students	40	45	55
Teaching staff	20	70	30
Administrative support	12	75	25
Total	72	57	43

To ensure fairness, participants received the same task instructions and similar difficulty levels. Sessions were timed using the same protocol. The analysis compared results from the earlier website version and the redeveloped version. Open comments were coded into repeated themes, including clarity of labels, confidence during navigation, and satisfaction with page structure. This methodology provided a reliable basis for assessing whether the redesign improved practical usability.

4. Results

The results show clear improvement in user performance and perceived usability after redevelopment. Task completion increased from 76% to 92%, indicating that more users reached correct answers without support. Mean

task time dropped from 4.8 minutes to 2.9 minutes per task, showing that users found information faster. Navigation errors decreased by 41%, mainly because of clearer labels and more consistent page layout.

Survey feedback also improved. A large majority reported that the new website was easy to understand and easier to use on mobile devices. Participants repeatedly mentioned that predictable section order helped them feel confident while searching. Staff users valued consistency across course pages because it reduced checking time [40].

Table 2. Useability performance before and after.

Metric	Earlier Version	Redeveloped Version
Task completion rate	76%	92%
Mean task time (minutes)	4.8	2.9
Navigation errors (avg per user)	3.4	2.0
Positive ease-of-use responses	61%	88%




Figure 2. Comparative usability outcomes (normalized view).

Overall, the redesign delivered measurable gains in efficiency, success rate, and user confidence with no increase in interaction complexity.

5. Conclusion and Recommendation

This article presented the full cycle of developing and evaluating a user-centered academic content website. The project showed that meaningful improvement does not require complicated interface features. Instead, practical gains came from clear structure, consistent templates, readable content blocks, and iterative user feedback [41]. The

evaluation confirmed that these design choices improved task success, reduced time spent searching and strengthened user confidence across device types.

The results support a simple design principle: when users can predict where information lives, they work faster and make fewer errors. This principle is highly relevant for course-related websites, where users often perform short, goal-driven tasks. The redevelopment also improved maintainability by standardizing content workflows. That means future updates can be applied with less manual effort and lower risk of page inconsistency [42].

Future work can expand this foundation in several ways. First, search can be improved with intent-aware filtering and clearer keyword highlighting. Second, lightweight analytics dashboards can help content owners identify pages with high exit rates and refine weak sections quickly. Third, accessibility can be strengthened through periodic audits and broader testing with assistive technologies [43 – 46]. Fourth, multilingual support can increase inclusiveness for diverse user groups. Finally, controlled longitudinal studies can measure whether improved website usability contributes to better long-term academic planning behavior.

In conclusion, the project demonstrates that simple language, strong information architecture, and evidence-based refinement can transform a content-heavy website into a reliable daily tool. The approach is adaptable to many educational contexts and can be scaled over time without losing clarity or usability.

6. Future Directions

Future recommendations are listed below:

- a) Add intent-aware search filters and highlight matched terms to improve result relevance.
- b) Integrate lightweight analytics dashboards to identify high-exit pages for priority improvement.
- c) Perform periodic accessibility audits using WCAG-based checks and assistive technology testing.
- d) Introduce multilingual interfaces to support broader and more diverse user groups.
- e) Expand cross-device testing to include low-bandwidth and older-device scenarios.
- f) Conduct longitudinal studies to examine links between website usability and academic planning outcomes.

Declarations

Source of Funding

This study has not received any funds from any organization.

Conflict of Interest

The authors declare that they have no conflict of interest.

Consent for Publication

The authors declare that they consented to the publication of this study.

Authors' Contribution

All the authors took part in literature review, analysis, and manuscript writing equally.

Acknowledgement

The authors would like to thank all the contributors and concerned persons who are directly or indirectly a part of this work.

References

- [1] Ahmad, M., et al. (2025). Learning three-dimensional face recognition from sparse views for robust identity verification. Available at SSRN 5428214.
- [2] Akram, F., et al. (2024). Integrating artificial bee colony algorithms for deep learning model optimization: A comprehensive review. In *Solving with Bees: Transformative Applications of Artificial Bee Colony Algorithm*, Pages 73–102. Springer. https://doi.org/10.1007/978-981-97-7344-2_5.
- [3] Al Omari, O.M.A., Khan, N.A., & Mahafdah, R. (2017). Ranking and reputation-based resource allocation in P2P system. *Mediterranean Journal of Basic and Applied Sciences (MJBAS)*, 1(1): 293–301.
- [4] Alanezi, R., Alanezi, M.A., & Khan, N.A. (2018). Development of web-based e-cooperative training system. In *2018 International Conference on Smart Computing and Electronic Enterprise (ICSCEE)*, IEEE. <https://doi.org/10.1109/icscee.2018.8538367>.
- [5] Alangari, S., et al. (2022). Developing a blockchain-based digitally secured model for the educational sector in Saudi Arabia toward digital transformation. *PeerJ Computer Science*, 8: e1120. <https://doi.org/10.7717/peerj-cs.1120>.
- [6] Alangari, S., & Khan, N.A. (2021). Artificially intelligent warehouse management system. *Asian Journal of Basic Science & Research*, 3(3): 16–24. <https://doi.org/10.38177/ajbsr.2021.3302>.
- [7] Khan, N., et al. (2025). Network intrusion management of web form spamming using blockchain. *Irish Interdisciplinary Journal of Science & Research*, 9(03): 10.46759.
- [8] Khan, N.A. (2018). Cloud applications development and deployment: The future of cost-effective programming and a step ahead. *Middle East Journal of Applied Science & Technology*, 1(1): 30–36.
- [9] Khan, N.A. (2019). Security management protocols in cloud computation. *Middle East Journal of Applied Science & Technology*, 2(1): 16–23.
- [10] Khan, N.A., et al. (2019). Intrusion management to avoid web-form spamming in cloud-based architectures. In *2019 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE)*, IEEE. <https://doi.org/10.1109/iccike47802.2019.9004302>.
- [11] Khan, N.A., et al. (2019). Prevention of web-form spamming for cloud-based applications: A proposed model. In *Amity International Conference on Artificial Intelligence (AICAI)*, IEEE.
- [12] Khan, N.A. (2019). Wireless requirements and benefits in the academics domain. *Middle East Journal of Applied Science & Technology (MEJAST)*, 2(3): 45–49.
- [13] Khan, N.A. (2019). *Basics of ethical hacking and computer security*. Paperback–1.

- [14] Aljomae, W.Y., Alshahrani, S.M., & Khan, N.A. (2025). NAMAQ-Arabic handwriting recognition using deep learning, AI, and ML with sentiment analysis. In 2025 4th International Conference on Computing and Information Technology (ICCIT), IEEE. <https://doi.org/10.1109/iccit63348.2025.10989445>.
- [15] Khan, N.A., & Ghamdi, A. (2015). Cyber forensics and proposed techniques to overcome cyber threats for cyber security. *International Journal of Engineering and Management Research (IJEMR)*, 5(5): 187–191.
- [16] Alshalaan, M., & Khan, N.A. (2025). Complexities and challenges for securing digital assets and infrastructure in academia: A review on digital asset security. In *Complexities and Challenges for Securing Digital Assets and Infrastructure*, Pages 225–244. <https://doi.org/10.4018/979-8-3373-1370-2.ch011>.
- [17] Almalki, J., et al. (2022). Enabling blockchain with IoMT devices for healthcare. *Information*, 13(10): 448. <https://doi.org/10.3390/info13100448>.
- [18] Almalki, J., Alshahrani, S.M., & Khan, N.A. (2024). A comprehensive secure system enabling healthcare 5.0 using federated learning, intrusion detection and blockchain. *PeerJ Computer Science*, 10: e1778. <https://doi.org/10.7717/peerj-cs.1778>.
- [19] Khan, N.A. (2019). Measuring academics intentions to use a project management system (PMS): A case study of the College of Computing and Information Technology, Shaqra University. In *Trends in Future Informatics and Emerging Technologies*, Pages 58–69.
- [20] Khan, N.A. (2025). Statistical probability prediction model for E-Learning and realtime proctoring using IoT devices. *Journal of King Saud University – Science*, 37: 7002025.
- [21] Alshahrani, S.M., et al. (2023). Systematic survey on big data analytics and artificial intelligence for COVID-19 containment. *Computer Systems Science & Engineering*, 47(2). <https://doi.org/10.32604/csse.2023.039648>.
- [22] Alshahrani, S.M., & Khan, N.A. (2023). COVID-19 advising application development for Apple devices (iOS). *PeerJ Computer Science*, 9: e1274. <https://doi.org/10.7717/peerj-cs.1274>.
- [23] Alshahrani, S.M., et al. (2022). URL phishing detection using particle swarm optimization and data mining. *Computers, Materials & Continua*, 73(3). <https://doi.org/10.32604/cmc.2022.030982>.
- [24] Alshalaan, M., & Khan, N.A. (2025). Blockchain-enabled federated learning framework for secure and collaborative drug discovery: Integrating AI, molecular docking, and distributed ledger technology. <https://doi.org/10.46759/ijjsr.2025.9401>.
- [25] Alsulami, M.H., Alotaibi, S., & Khan, N. (2021). Smart university model for Saudi Arabian universities. *Design Engineering*, Pages 162–181.
- [26] Alsulami, M.H., et al. (2021). Zigbee technology to provide elderly people with well-being at home. *International Journal of Sensors Wireless Communications and Control*, 11(9): 921–927. <https://doi.org/10.2174/2210327911666210201105206>.

- [27] Hassan, M.A.A., Khan, N.A., & Nasim, M.A. (2017). Managing data replication in mobile ad-hoc network databases using content-based energy optimization. *Mediterranean Journal of Basic and Applied Sciences (MJBAS)*, 1(1): 142–154.
- [28] Khan, N.A. (2024). Development of intelligent pick and drop service manager for small cities. *Asian Journal of Basic Science & Research*, 6(3): 20–27. <https://doi.org/10.38177/ajbsr.2024.6303>.
- [29] Khan, N.A. (2024). Development of intelligent help system for small cities. *Asian Journal of Applied Science and Technology*, 8(3): 112–119. <https://doi.org/10.38177/ajast.2024.8311>.
- [30] Khan, N.A. (2025). Development of intelligent student information system. *Arabian Journal of Basic Science and Research*, 7(1). <https://doi.org/10.38177/ajbsr.2025.7101>.
- [31] Khan, N.A., et al. (2021). Development of mubadarah system: An intelligent system for proposals at a university. In 2021 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE), IEEE. <https://doi.org/10.1109/iccike51210.2021.9410773>.
- [32] Khan, N.A., et al. (2021). Development of Medidrone: A drone-based emergency service system for Saudi Arabian healthcare. In 2021 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE), IEEE. <https://doi.org/10.1109/iccike51210.2021.9410685>.
- [33] Khan, N.A., Rajeyagari, S., & Khan, A.R. (2025). Development of intelligent library services for university students. *Mediterranean Journal of Basic and Applied Sciences (MJBAS)*, 9(1): 142–147. <https://doi.org/10.46382/mjbas.2025.9109>.
- [34] Khan, N.A., Siddiqi, A.M.U., & Ahmad, M. (2021). Development of intelligent alumni management system for universities. *Asian Journal of Basic Science & Research*, 3(2): 51–60. <https://doi.org/10.38177/ajbsr.2021.3206>.
- [35] Khan, N.A., & Ahamad, D. (2025). Living smart: AI-based urban assistance systems for sustainable wellbeing in small cities. <https://doi.org/10.46431/mejast.2025.8210>.
- [36] Khan, N.A., et al. (2025). Transformative impact of artificial intelligence on higher education: A comprehensive analysis of pedagogical innovation, institutional transformation, and future learning ecosystems. *Asian Journal of Applied Science and Technology (AJAST)*, 9(4): 57–76.
- [37] Khan, N.A., et al. (2024). An IoMT enabled iterative artificial bee colony approach using federated learning for detection of heart disease. In *Solving with Bees: Transformative Applications of Artificial Bee Colony Algorithm*, Pages 103–116, Springer Nature Singapore. https://doi.org/10.1007/978-981-97-7344-2_6.
- [38] Khan, N.A., et al. (2021). An empirical analysis on users' acceptance and usage of BYOD-technology for Saudi universities: A case study of Shaqra University. In 2021 International Conference on Technological Advancements and Innovations (ICTAI), IEEE. <https://doi.org/10.1109/ictai53825.2021.9673287>.
- [39] Khan, N.A., Al-Omari, O.M., & Alshahrani, S.M. (2023). An empirical study on the future of publication repositories and its adaptability in public universities—A case study of Shaqra University, Saudi Arabia. In 2023

Computational Intelligence: Select Proceedings of InCITe, Pages 823–829, Springer. https://doi.org/10.1007/978-981-19-7346-8_71.

[40] Khan, N.A., & Albatein, J. (2021). COVIBOT: An intelligent WhatsApp based advising bot for COVID-19. In 2021 International Conference on Computational Intelligence and Knowledge Economy (ICCIKE), IEEE. <https://doi.org/10.1109/iccike51210.2021.9410801>.

[41] Khan, N.A., & Alshalaan, M. (2025). AI-driven blockchain framework for digital transformation of academic accreditation process: A Saudi Arabian perspective. <https://doi.org/10.46759/ijjsr.2025.9404>.

[42] Khan, N.A., Khan, A.R., & Rajeyyagari, S. (2025). Innovation in teaching and learning with the use of modern computational tools: A post COVID experience. Middle East Journal of Applied Science & Technology, 8(2): 74–82. <https://doi.org/10.46431/mejast.2025.8208>.

[43] Khan, V.N.A., et al. (2020). Internet of Things (IoT) based educational data mining (EDM) system. Journal of Mechanical and Continuous Mathematics and Sciences, 15(3): 271–284. <https://doi.org/10.26782/jmcms.2020.03.00022>.

[44] Mahafdah, R.F., Al-Omari, O.M., & Khan, N.A. (2018). Learning modal adaptability to improve reading and writing skills of students.

[45] Khan, N.A., et al. (2024). An IoMT enabled iterative artificial bee colony approach using federated learning for detection of heart disease. In Solving with Bees: Transformative Applications of Artificial Bee Colony Algorithm, Pages 103–116, Springer Nature Singapore. https://doi.org/10.1007/978-981-97-7344-2_6.

[46] Zamani, A.S., Akhtar, M.M., & Khan, N.A. (2025). An application of machine learning, big data and IoT of enterprise architecture: Challenges, solutions and open issues. <https://doi.org/10.5772/intechopen.1010260>.